

K4XL's **BAMA**

This manual is provided **FREE OF CHARGE** from the “BoatAnchor Manual Archive” as a service to the Boatanchor community.

It was uploaded by someone who wanted to help you repair and maintain your equipment.

If you paid anyone other than BAMA for this manual, you paid someone who is making a profit from the free labor of others without asking their permission.

You may pass on copies of this manual to anyone who needs it. But do it without charge.

Thousands of files are available without charge from BAMA. Visit us at <http://bama.sbc.edu>

TUBE CHART SUPPLEMENT

MODEL 667-05

**DYNAMIC CONDUCTANCE TUBE
AND
TRANSISTOR TESTER**

6B95-

**4, 5, 6 PIN AND SEPTAL BASE TUBES CAN BE TESTED ON
THIS UNIT BY USING THE EICO MODEL 615 ADAPTER.**



283 Malta Street, Brooklyn, N. Y. 11207

TUBE	FILL.	GR.	PL.	LEVERS	V	S	LEAK	MERIT	
5AZ3	5.0	0	40	1666646	666621	4	1	6	6
5AZ3	5.0	0	40	1666664	666621	4	1	7	7
5AZ4	5.0	0	57	6164666	211111	4	1	4	4
5AZ4	5.0	0	57	6166646	211111	4	1	6	6
5BE8	5.0	30	80	6611243	151111	2	3	6-7-8-9	6
5BE8	5.0	80	80	5411266	661111	2	2	1-2-3	6
5BK5	5.0	40	30	4151216	311111	4	2	1-3-6-9	1
5BS8	5.0	13	20	4511266	611111	2	3	6-7-8	6
5BS8	5.0	13	20	6661245	111111	2	3	1-2-3	1
5BW8	5.0	60	36	5151266	661111	1	4	1-2-3	1-3
5BW8	5.0	56	66	6661251	341111	1	3	6-7-8-9	9
5BZ7	5.0	30	20	6661245	111111	2	3	6-7-8	6
5BZ7	5.0	30	20	4511266	611111	2	3	1-2-3	1
5CG4	5.0	0	35	1114161	211111	4	1	4	4
5CG4	5.0	0	35	1116141	211111	4	1	6	6
5CM8	5.0	7	65	6511243	661111	4	3	2-3-6-7	6
5CM8	5.0	7	25	6611243	151111	4	4	3-6-7-9	6
5CR8	5.0	7	100	6511243	661111	2	3	2-3-6-7	6
5CR8	5.0	7	35	4661266	151111	2	3	1-8-9	6
5CU4	5.0	0	50	1114161	211111	4	1	1-4	4
5CU4	5.0	0	50	1116141	211111	4	1	1-6	4
5CZ5	5.0	20	30	3651261	641111	4	2	1-3-7-9	9
5EH8	5.0	7	17	1541266	661111	2	3	1-2-3	3
5EH8	5.0	7	100	6661215	341111	2	3	6-7-8-9	9
5ES8	5.0	15	75	6661245	111111	2	2	6-7-8	6
5ES8	5.0	10	75	4511266	611111	2	2	1-2-3	1
5HG8	5.0	30	40	1561266	431111	2	3	1-2-8-9	8
5HG8	5.0	93	90	1661254	661111	1	2	1-6-7	7
5MQ8	5.0	75	75	4112111	151111	2	2	1-8-9	1
5MQ8	5.0	49	13	1532141	111111	2	3	2-3-6-7	6
5T4	5.0	0	30	6164666	211111	4	1	4	4
5T4	5.0	0	30	6166646	211111	4	1	6	6
5W4	5.0	0	46	1211141	111111	4	1	4-6	6
5W4	5.0	0	46	1214111	111111	4	1	4	4
5X3	5.0	0	60	2141111	111111	4	1	2-3	3
5X3	5.0	0	60	2141111	111111	4	1	2	2
5X4	5.0	0	40	1161411	211111	4	1	3	3
5X4	5.0	0	40	1141611	211111	4	1	3	3
5Z4	5.0	0	40	1141611	211111	4	1	4	4
5Z4	5.0	0	40	1116141	211111	4	1	6	6
6A3	6.3	7	65	1432111	111111	4	2	2-3	2
6A4	6.3	7	73	2453111	111111	4	2	2-3-4	2
6A5	6.3	7	79	1231511	611111	4	1	5	3
6A6	6.3	17	94	2351531	111111	3	3	2-3-4-5-6	2-6
6A7	6.3	7	78	2334511	111111	4	3	2-3-4-5-6	2
6A7	6.3	7	98	2434511	111111	4	3	4	4
6A7	6.3	7	87	2414111	111111	4	3	2-3-4-5	4
6A5	6.3	7	87	2114111	111111	4	3	2	2
6A7	6.3	40	94	6115132	411111	1	3	2-4-5-6-8	8
6A8	6.3	7	85	4511266	661111	2	3	1-2-3	1
6A8	6.3	7	72	6611241	351111	2	3	3-6-8-9	6
6A5	6.3	75	20	1241511	111111	4	2	5-8	3
6A6	6.3	7	65	1244511	111111	4	2	3-4-5-8	3
6AD4	6.3	20	70	5616126	411111	1	4	5-8	8
6AD6	6.3	0	65	6156412	111111	4	5	3-5-8	5
6AD7	6.3	7	92	5243541	111111	3	2	1-4-5-8	8
6AD7	6.3	7	40	5243541	111111	3	3	6	6
6AE5	6.3	86	39	1231511	111111	1	3	5-8	3

*Must use magnoval adapter.

TUBE	FIL.	GR.	PL.	LEVERS	V	S	LEAK	MERIT
28HD5	25	60	30	1151364	2	2	3-4-7	7
29KQ6*	25	30	75	5632166	2	1	1-3-9-C	C
	**Must use magnoval adapter.							
29LE6*	25	60	60	5632166	1	2	1-3-9-C	C
	**Must use magnoval adapter.							
30	2.0	7	77	2351111	4	3	2-3	2
30A5	25	7	54	1521634	2	2	1-2-6-7	7
30CW5	25	7	50	6511264	2	2	2-3-7-9	7
30HD5	25	40	80	1151364	1	2	3-4-7	7
30RH5	25	70	70	2156364	2	1	2-3-5-7	7
30JZ6	25	52	79	2136511	2	1	2-3-5-C	C
30KG6*	25	50	50	5632166	2	1	1-3-9-C	C
	**Must use magnoval adapter.							
30M-P23	25	88	94	1521634	2	1	1-2-6-7	7
30M-P27	25	86	94	1521634	2	1	1-2-6-7	7
31	2.0	7	92	2351111	4	2	2-3	2
31AL10	19	90	94	1664321	1	2	4-5-7-8	4
31AL10	19	43	75	1451621	1	3	2-3-7	4
31AL10	19	50	84	1111121	1	3	9-10-11	9
31JS6	25	65	65	2131516	2	1	2-3-5-C	C
31LQ6	25	60	70	3512166	1	2	1-8-9	8
31LR8	25	70	73	1112111	3	2	1-2-3-C	C
31LR8	25	25	25	6512143	2	2	2-3-6-7	6
32	2.0	7	58	2431111	2	4	2-3-C	2
32A8	25	70	85	5662166	3	2	1-8-9	9
32A8	25	30	55	6152143	2	2	2-3-6-7	6
32GA7	35	0	75	2111161	2	1	8-11	11
32GA7	35	70	60	2365164	3	1	2-4-5-7	7
32HQ7	35	0	70	2411166	2	1	2-4	2
32HQ7	35	75	75	2111466	2	1	5-8-9-11	5
33	2.0	73	65	2453111	3	2	2-3-4	2
33HE7	25	0	98	2461166	1	1	2-4	2
33HE7	25	20	82	2161466	2	1	5-8-9-11	5
33JR6	25	50	52	3512166	3	1	1-2-3-9	9
34	2.0	24	0	2431111	2	4	2-3-C	2
34CD3	35	0	55	2664661	2	1	4-7	4
34CM3	35	0	91	6462166	1	1	2-2	2
35	2.0	28	51	2431111	3	3	2-3-4-C	2
35A5	35	7	80	1436651	2	2	2-3-6-7	2
35B5	35	90	38	5121336	2	2	1-2-5-6	5
35CD6	35	85	76	1211511	2	1	3-5-8-C	C
35HB8	35	75	30	5141266	3	2	1-2-3	3
35HB8	35	30	75	6661234	2	3	6-7-8-9	7
35Z3	35	0	40	1411111	2	1	2-7	2
35Z6	35	0	72	1251311	4	1	3-4-5-8	5
35Z6	35	0	72	1231111	4	1	3	3
36	6.3	7	91	2431111	4	3	2-3-4-C	2
36KD6	35	45	40	2131516	2	1	2-3-5-C	C
37	6.3	26	39	2351111	3	3	2-3-4	2
38	6.3	7	67	2441111	4	2	2-3-4-C	2
39	6.3	21	64	2431111	3	3	2-3-4-C	2
40KG6*	35	50	50	5632166	2	1	1-3-9-C	C
	**Must use magnoval adapter.							
41	6.3	80	65	2435111	3	2	2-3-4-5	2
42	6.3	30	65	2435111	4	2	2-3-4-5	2
42EC4*	35	0	65	6412166	2	1	2-C	2
	**Must use magnoval adapter.							
43	25	20	30	2335111	3	2	2-3-4-5	2

10

TUBE

FIL.

GR.

PL.

LEVERS

V

S

LEAK

MERIT

TUBE

FIL.

GR.

PL.

LEVERS

V

S

LEAK

MERIT

TUBE

FIL.

GR.

PL.

LEVERS

V

S

LEAK

MERIT

TUBE	FIL.	GR.	PL.	LEVERS	V	S	LEAK	MERIT
11724	117	04	75	1211311	4	1	5-8	5
15062	117	0	10	2161666	1	3	1	1
150C3	70	0	73	1211311	4	2	5	5
VR150	70	0	73	1211311	4	2	5	5
182B	5.0	7	55	2351111	4	2	2-3	2
183B	5.0	7	23	2351111	4	2	2-3	2
482B	5.0	7	55	2351111	4	2	2-3	2
483	2.8	17	61	2451111	2	3	3-4	2
485	2.8	17	61	2451111	2	3	3-4	2
502X	6.3	0	70	1231211	4	1	3-5-8	3
502X	6.3	0	70	1231111	4	1	3-5-8	3
CK512AX	.625	7	100	3325111	2	5	1-2	1
CK526AX	1.25	40	90	4325111	2	3	1-2-4	1
CK533AX	1.25	7	70	3325111	1	5	1-2-4	1
802	6.3	25	41	2645111	3	2	4-5-6	C
816	25	0	66	2111111	4	1	C	C
864	1.25	7	90	2351111	4	3	3	2
866	2.5	0	70	2111111	4	1	C	C
879	2.5	0	60	2111111	4	3	3	2
950	2.0	50	42	2453111	2	3	2-3	2
955	6.3	21	54	2135111	3	3	3-5	2
957	1.25	7	34	2131111	4	4	3	2
958	1.25	7	5	2135116	4	3	2	5
1201	6.3	16	60	5241666	2	3	1-3-4	2
1203A	6.3	0	75	2113111	1	3	4-7	4
1232	6.3	7	45	2431651	4	3	2-3-6-7	2
1267	0	0	50	1311413	4	2	7	5
1267	0	0	50	1211413	4	2	5	5
1275	5.0	0	35	1462111	4	1	2	2
1275	5.0	0	35	1642111	4	1	3	3
1276	4.2	7	65	1432111	4	2	2-3	2
1284	12.6	7	65	1431151	4	2	2-3-6-7	2
1291	2.8	45	34	2356153	3	3	2-3-6	7
1293	1.4	20	61	1411651	2	3	2-6	2
1294	1.4	7	17	1114111	4	6	4-7	4
1299	1.4	29	5	1434156	2	3	2-3-6	2
1602	1.5	7	0	2351111	4	3	3	2
1603	6.3	16	41	2431111	4	4	4-5-6	2
1609	1.25	7	59	2453111	2	4	2-3	2
1619	2.5	25	15	1244511	4	2	5-8	3
1621	6.3	25	27	1244511	4	2	1-3-5-8	3
1625	12.6	15	91	1135112	4	1	3-4-6-C	C
1626	12.6	20	70	1141512	4	2	3-5-8	3
1635	6.3	20	50	1145542	3	4	3-4-5-6-8	3-6
1642	6.3	23	26	2135311	3	3	2-3-5-6	5
1852	6.3	13	87	1215131	4	2	3-4-5	8
1853	6.3	13	87	1215131	4	2	3-4-5	8
5625	2.2	10	25	1431252	2	3	2-3-4-6	2
5642	1.25	0	100	1111111	1	3	C	C
5678	1.25	23	40	4315211	1	5	1-2-4	1
5691	6.3	20	80	1115412	3	3	4-5-6	5
5691	6.3	20	80	5411112	3	3	1-2-3	2
5727	6.3	0	58	6121343	2	1	1-2-5-6	6
5749	6.3	75	75	5121431	3	2	1-5-6-7	5
CK5755	12.6	83	40	4132166	1	4	1-2-3	1
CK5755	12.6	83	40	1112151	1	4	6-7-8	8

TUBE	FIL.	GR.	PL.	LEVERS	V	S	LEAK	MERIT
EL37	6.3	35	82	6143562	4	1	3-4-5-8	3
EL38	6.3	55	70	1113512	2	2	4-5-8-C	C
EL85	6.3	25	50	5611214	3	3	1-3-6-7-9	7
EL95	6.3	7	92	5121436	2	2	1-2-6	5
EL504*	6.3	80	75	6512136	2	1	2-3-6-C	C
	*Must use magnoval adapter.							
EM80	6.3	0	54	1162164	3	3	1-7-9	7
EM80	6.3	0	54	1162161	3	3	7	7
EM81	6.3	7	25	5162164	4	5	1-2-7-9	9
EM81	6.3	7	75	5162161	4	5	9	9
EM84	6.3	7	75	5612144	4	4	1-3-6-7-9	9
EM84	6.3	7	75	5612143	4	4	9	9
EN91	6.3	0	58	6121343	2	1	1-2-5-6	6
EQ80	6.3	65	92	3312145	1	4	1-3-6	6
EY81	6.3	0	6	6662166	1	2	9-C	9
EY82	6.3	0	27	6612166	4	1	3-9	9
EY86	6.3	0	58	1216661	2	3	C	C
EZ80	6.3	0	79	5112113	4	1	1-3-7	7
EZ80	6.3	0	79	3112111	4	1	1	1
GZ32	5.0	0	65	1214111	2	1	4	4
GZ32	5.0	0	65	1211141	2	1	6	6
GZ34	35	0	41	1114161	4	1	4	4
GZ34	35	0	41	1116141	4	1	6	6
HCC85	12	7	20	4512145	3	3	2-3-7-8	1-6
HL94	25	7	54	1521634	2	2	1-2-6-7	7
NI4	1.4	29	41	1233511	2	3	3-5	3
PABC80	9.0	17	82	6612161	2	3	1-2-3-7-8	9
PABC80	9.0	0	98	4612161	1	1	1-2	1-2
PCG84	6.3	7	22	1542151	2	3	1-2-3-6-7	3-9
PCG85	9.0	80	80	6662145	2	2	6-7-8	6
PCG85	9.0	80	80	4512166	2	2	1-2-3	1
PCL82	12.6	7	65	5662166	2	4	1-8-9	9
PCL82	12.6	7	90	6152143	2	2	2-3-6-7	6
PCL85	19	35	45	1112143	2	2	6-7-8-9	6
PCL85	19	60	75	4512111	3	2	1-2-3	1
PL36	25	7	15	6263511	2	2	4-5-8	C
PL81	19	61	93	6512166	2	1	2-3-9	C
PL505*	35	50	50	5632166	2	1	1-3-9-C	C
	*Must use magnoval adapter.							
PL521*	25	30	75	5632166	2	1	1-3-9-C	C
	*Must use magnoval adapter.							
PL1267	0	0	50	1311413	4	2	7	5
PL1267	0	0	50	1211413	4	2	5	5
PM04	6.3	40	90	5121431	3	2	1-5-6-7	5
PY81	19	0	20	6661266	1	2	9-C	9
PY500*	35	0	65	6412166	2	1	2-C	C
	*Must use magnoval adapter.							
UCH81	19	12	40	3511243	3	3	1-2-3-6-8-9	6
UCH81	19	10	30	3511243	2	3	8	6
U78	6.3	0	86	5121131	4	1	1-6-7	6
U78	6.3	0	86	3121111	4	1	1	1
UBF89	19	85	92	3512146	2	2	1-2-3-6	6
UBF89	19	0	93	6612164	1	2	3-7	7
UBF89	19	0	100	6612166	1	2	3-8	8
UCC85	25	80	80	6662145	2	2	6-7-8	6
UCC85	25	80	80	4512166	2	2	1-2-3	1